



Safety Data Sheet

1. IDENTIFICATION

Product Identifier: Amido Black Methanol Base

Product Code(s): PF30004

Synonyms: Mixture.

Recommended Use: For manufacturing, industrial, and laboratory use only. Use as a laboratory reagent.

Uses Advised Against: Not for food, drug, or household use.

Supplier: Pioneer Forensics, LLC

6801 West 20th Street, Suite 204

Greeley, CO 80634 Phone: (970) 515-5420

Emergency Phone Number: For health emergency, call poison control: (800) 222-1222.

2. HAZARDS IDENTIFICATION

Hazard Classifications: Acute Toxicity – Oral: Category 3

Acute Toxicity – Dermal:

Acute Toxicity – Inhalation:

Skin Corrosion/Irritation:

Eye Damage/Irritation:

Specific Target Organ Toxicity (Single Exposure):

Aspiration Hazard:

Flammable Liquids:

Category 1

Category 1

Category 2

Signal Word: DANGER

Hazard Statements: Toxic if swallowed.

Toxic in contact with skin.

Toxic if inhaled.

Causes severe skin burns and serious eye damage.

Causes damage to organs.

May be fatal if swallowed and enters airways.

Highly flammable liquid and vapor.

Product: Amido Black Methanol Base

Revision Date: 05/11/2017 1/9

Pictograms:



Precautionary Statements:

Prevention: Wash thoroughly after handling.

Do not eat, drink, or smoke when using this product.

Wear protective gloves, protective clothing, eye protection, and face protection.

Do not breathe fume, mist, vapors, or spray. Use only outdoors or in a well-ventilated area.

Keep away from heat, sparks, open flames, and hot surfaces. - No smoking.

Keep container tightly closed.

Ground container and receiving equipment.

Use explosion-proof electrical, ventilating, lighting, and transportation equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Response: Immediately call a poison center or doctor.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Wash with plenty of water. Take off immediately all contaminated clothing

and wash it before reuse.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

In case of fire, use water spray, dry powder, alcohol resistant foam, or carbon dioxide to

extinguish.

Storage: Store locked up.

Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Disposal: Dispose of contents and container in accordance with local, regional, national, and

international regulations.

Hazards Not Otherwise

Classified:

This product is toxic to humans. Primates are especially susceptible to the toxic effects of

methanol, which are not reflected through toxicity data (see Section 11).

May cause adverse reproductive effects.

May be harmful to aquatic life. Avoid release to the environment.

Toxicity Statement: Not applicable.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Component	Common Name / Synonyms	CAS#	Chemical Formula	% by Weight
Methanol	Methyl Alcohol	67-56-1	CH₃OH	≥ 80*
Acetic Acid	Ethanoic Acid	64-19-7	C ₂ H ₄ O ₂	< 20*
Amido Black 10B	Acid Black 1	1064-48-8	Na ₂ C ₂₂ H ₁₄ N ₆ O ₉ S ₂	< 1.0*

Trade Secret Statement:

*The specific concentrations of each component have been withheld under a trade secret. Any effects of these concentrations on the overall hazard classification of this product are considered, and health and safety information are provided where applicable.

Product: Amido Black Methanol Base

Revision Date: 05/11/2017 2/9

4. FIRST AID MEASURES

First Aid Procedures:

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

respiration. WARNING! It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled or ingested material is toxic, infectious, or corrosive. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device. Call a physician immediately.

Ingestion: Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs,

keep head low so that vomit does not enter lungs. Never give anything by mouth to an unconscious person. Immediate medical attention is required. Call a physician or poison

control center immediately.

Skin Contact: Remove contaminated clothing and shoes. Wash skin with plenty of water for at least 15

minutes. Wash clothing before reuse. Call a physician immediately.

Eye Contact: Check for and remove contact lenses if present and easy to do. Immediately flush eyes with

gentle but large stream of water for at least 15 minutes, lifting lower and upper eyelids

occasionally. Call a physician immediately.

General Advice: Poison information centers in each state can provide additional assistance for scheduled

poisons. Ensure that medical personnel and those providing first aid are aware of the

material(s) involved and take precautions to protect themselves.

Symptoms and Effects: Irritation, blistering, burns, unconsciousness, visual disturbances, metabolic acidosis,

drowsiness, dizziness, suffocation, shortness of breath, nervous system effects,

cardiovascular effects, coughing, bronchitis, nausea, vomiting, diarrhea, abdominal pain, constipation, blindness, and respiration effects. Harmful or fatal if swallowed, inhaled, or absorbed through the skin or eyes. Causes irritation and burns to the eyes, skin, respiratory tract, and gastrointestinal tract. May cause visual disturbances or blindness if absorbed into the blood stream. May affect the blood, brain, urinary system, mucous membranes, liver, spleen, eyes, kidneys, cardiovascular system, and pancreas. Prolonged or repeated exposure may affect liver, kidneys, brain, cardiovascular system, blood, spleen, central nervous system, and heart; may cause adverse reproductive effects, birth defects,

mutagenic effects, tooth damage, skin discoloration, respiratory irritation, dermatitis, and

damage to eyesight.

Immediate Medical Care/ Special Treatment: If exposed or concerned, get medical attention immediately. Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable Extinguishing Media: Water spray, dry powder, alcohol resistant foam, carbon dioxide.

Unsuitable Extinguishing Media: Do not use a solid (straight) water stream, as it may scatter and spread fire.

Hazardous Combustion

Products:

Carbon oxides, nitrogen oxides, sodium oxides, sulfur oxides.

Specific Hazards: Highly flammable. Vapors may case flash fire or ignite explosively. Can be ignited easily by

heat, sparks, or flames and burns vigorously. Material may burn with an invisible flame. Sealed containers may explode when heated or involved in fire. Material is sensitive to static discharge. Vapors may travel considerable distance to source of ignition and flash back.

Product: Amido Black Methanol Base

Revision Date: 05/11/2017 3/9

Vapor from the solvent may accumulate in container headspace, resulting in flammability hazard. High vapor concentration in air may cause an explosion hazard. Excessive thermal conditions may cause decomposition and yield corrosive and/or toxic fumes. Contact with metals may yield hazardous concentrations of hydrogen gas.

Special Protective Equipment/ Precautions for Firefighters:

As in any fire, wear MSHA/NIOSH-approved (or equivalent), self-contained, positive-pressure or pressure-demand breathing apparatus and full protective gear. Use water spray to cool unopened containers. Move containers from fire area, if you can do so without risk. This material may evaporate if spilled and leave a flammable residue. In the event of fire and/or explosion, do not breathe fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Protective Equipment:

Ventilate area of leak or spill. Isolate hazard area and keep unnecessary and unprotected personnel away from the area of the leak or spill. Keep upwind. Keep out of low areas. Wear appropriate personal protective equipment (see Section 8). Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use spark-proof tools and explosion-proof equipment. Avoid contact with eyes, skin, and clothing.

Emergency Procedures:

Evacuate surrounding personnel as needed. In case of chemical emergency, or if unsure how to address an accidental release, consult a professional (see Section 1).

Methods for Containment:

Eliminate all sources of ignition. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements, or confined areas. Dike the spilled material, where this is possible. Product should not be released to the environment. Contain and recover waste when possible.

Methods for Cleanup:

Absorb spill with an inert material (e.g. vermiculite, dry sand, earth, cloth, or fleece) and place in a noncombustible container for reclamation or disposal. Do not flush to sewer. Clean contaminated surface thoroughly. Residues from spills can be absorbed with alcohol or acetone. Never return spills in original containers for reuse. Clean up in accordance with all applicable regulations.

7. HANDLING AND STORAGE

Handling:

Do not handle, store, or open near an open flame, sources of heat, or sources of ignition. Wear personal protective equipment (see Section 8). Use only in well-ventilated areas. Provide sufficient air exchange and/or exhaust in work areas. Limit exposure to light. Avoid contact with skin, eyes, and clothing. Do not breathe vapors or spray mist. Do not ingest. When using, do not eat, drink, or smoke. Take precautionary measures against static discharge. To avoid ignition of vapors by static electricity discharge, all metal parts of equipment must be grounded. Keep away from incompatible materials (see Section 10). Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Containers of this material may be hazardous when empty, as they retain product residues. Observe all warnings and precautions listed for this product.

Storage:

Store in a cool, dry, ventilated area. Store in a segregated and approved area away from incompatible materials (see Section 10). Store in original container. Keep containers tightly closed and upright. Keep out of light. Keep away from food, drink, and animal foodstuffs. Keep out of the reach of children. Ground container and transfer equipment. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of this product.

Product: Amido Black Methanol Base

Revision Date: 05/11/2017 4/9

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits: Methanol: ACGIH: TWA: 200 ppm

STEL: 250 ppm BEL: 15 mg/L

OSHA: PEL: 200 ppm

260 mg/m³

Acetic Acid: ACGIH: TWA: 10 ppm

STEL: 15 ppm

OSHA: PEL: 10 ppm NIOSH: IDLH: 50 ppm TWA: 10 ppm

STEL: 15 ppm

Amido Black 10B: No information found.

Engineering Controls: Ensure adequate ventilation. Ventilation rates should be matched to conditions. If

applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not

been established, maintain airborne levels to an acceptable level.

Personal Protective Measures:

Eye/Face Protection: Wear safety glasses with side shields or goggles and a face shield. Maintain approved

eyewash station and accessible rinse facilities in work area.

Skin Protection: Wear appropriate chemical resistant clothing (with long sleeves) and appropriate chemical

resistant gloves.

Respiratory Protection: An air-purifying, NIOSH-approved respirator with appropriate cartridge or canister may be

permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Use a positive-pressure, air-supplied respirator if there is any potential for an uncontrolled release, if exposure levels are unknown, or if any other circumstances exist where air-purifying respirators may not provide adequate protection.

Specific Requirements for Personal Protective

Equipment:

Ensure that glove material is compatible with this product. This information is available from

glove manufacturers.

9. PHYSICAL AND CHEMICAL PROPERTIES

Unless otherwise indicated, all properties are given at standard temperature and pressure.

Appearance: Dark blue, translucent liquid.

Odor: Pungent, alcoholic, vinegar.

Odor Threshold: < 100 ppm

Formula Weight: Mixture.

pH: No information found.

Melting/Freezing Point: < 16.2 °C

Boiling Point/Range: 64.7 – 117.9 °C

Decomposition Temperature: No information found.

Flash Point: < 23 °C

Product: Amido Black Methanol Base

Revision Date: 05/11/2017 5/9

Auto-ignition Temperature: > 455 °C

Flammability: Explosive as vapor; flammable as liquid.

Flammability/Explosive Limits: Lower: 6.5% by volume (estimated)

Upper: 40% by volume (estimated)

Solubility: Miscible with water, alcohol, acetone, ether, benzene, chloroform, tetrachloromethane.

Vapor Pressure: 89 mmHg at 20 °C; 375 mmHg at 50 °C (estimated)

Vapor Density: > 1.0 (Air = 1)

Specific Gravity: 0.8 (Water = 1)

Evaporation Rate: No information found.

Viscosity: Kinematic: < 20.5 mm²/s at 40 °C

Partition Coefficient

(n-octanol/water):

No information found.

10. STABILITY AND REACTIVITY

Reactivity Data: Highly flammable. See Section 9. May be corrosive to metals.

Chemical Stability: Stable under normal conditions. Hygroscopic. Sensitive to light.

Conditions to Avoid: Heat, flames, sparks, sources of ignition, excessive ambient moisture, excessive light,

incompatible materials.

Incompatible Materials: Oxidizing agents, strong bases, metals, reducing agents, amines, carbonates, phosphates.

Hazardous Decomposition

Products:

Carbon oxides, hydrogen.

Possibility of Hazardous

Reactions:

May react vigorously, violently, or explosively if exposed to extreme thermal conditions or in

contact with the incompatible materials listed above. Contact with metals may yield

hazardous concentrations of hydrogen gas.

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Routes of Exposure: Inhalation, ingestion, skin contact, eye contact.

Acute Effects: Harmful or fatal if swallowed, inhaled, or absorbed through the skin or eyes. Causes

irritation and burns to the eyes, skin, respiratory tract, and gastrointestinal tract. May cause visual disturbances or blindness if absorbed into the blood stream. May affect the blood, brain, urinary system, mucous membranes, liver, spleen, eyes, kidneys, cardiovascular

system, and pancreas.

Chronic Effects: Prolonged or repeated exposure may affect liver, kidneys, brain, cardiovascular system,

blood, spleen, central nervous system, and heart; may cause adverse reproductive effects, birth defects, mutagenic effects, tooth damage, skin discoloration, respiratory irritation,

dermatitis, and damage to eyesight.

Product: Amido Black Methanol Base

Revision Date: 05/11/2017 6/9

Toxicological Data: Methanol: LD₅₀ Oral, Rat: 5628 mg/kg

 LC_{50} Inhalation, Rat: 87.6 mg/L 6 h LD_{50} Dermal, Rabbit: 15,800 mg/kg LDL Oral, Human: 143 mg/kg Toxic to reproduction based on animal data.

Acetic Acid: LD₅₀ Oral, Rat: 3310 mg/kg

 LC_{50} Inhalation, Rat: 11.4 mg/L 4 h LD_{50} Dermal, Rabbit: 1060 mg/kg

May cause reproductive effects based on animal data. Corrosive to skin and eyes based on animal data.

Amido Black 10B: May cause irritation to skin, eyes, and respiratory tract based on

animal data.

Symptoms of Exposure: Irritation, blistering, burns, unconsciousness, visual disturbances, metabolic acidosis,

drowsiness, dizziness, suffocation, shortness of breath, nervous system effects,

cardiovascular effects, coughing, bronchitis, nausea, vomiting, diarrhea, abdominal pain,

constipation, blindness, and respiration effects.

Carcinogenic Effects: No component of this product is considered to be a carcinogen by IARC, ACGIH, NTP, or

OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicological Data: Methanol:

EC₅₀, Water Flea (Daphnia magna): > 10,000 mg/L 48 h LC₅₀, Fathead Minnow (Pimephales promelas): > 100 mg/L 96 h

Acetic Acid:

 EC_{50} , Water Flea (Daphnia magna): 47 mg/L 24 h LC_{50} , Fathead Minnow (Pimephales promelas): 88 mg/L 96 h LC_{50} , Rainbow Trout (Oncorhynchus mykiss): > 1000 mg/L 96 h

Amido Black 10B:

LC₅₀, Fathead Minnow (Pimephales promelas): 180 mg/L 96 h

Persistence and Degradability: Expected to be readily biodegradable.

Bioconcentration Factor: Methanol: 1.0

Environmental Effects: May be harmful to aquatic organisms. Avoid release to the environment.

13. DISPOSAL INFORMATION

Disposal Instructions: All wastes must be handled in accordance with local, state, and federal regulations.

Minimize exposure to product waste (see Section 8). Do not dispose unused waste down

drains or into sewers.

Contaminated Packaging:Because emptied containers retain product residue, follow label warnings even after

container is emptied. Residual vapors may explode on ignition; do not cut, drill, grind, or weld on or near product container. Offer rinsed packaging material to local recycling

facilities.

Waste Codes: U154 (US RCRA Hazardous Waste U List – Ignitable waste)

Product: Amido Black Methanol Base

Revision Date: 05/11/2017 7/9

14. TRANSPORT INFORMATION

DOT:

UN Number: UN1993

Proper Shipping Name: Flammable liquids, n.o.s. (Methanol)

Hazard Class: 3

Packing Group:

ERG Number: 128

Environmental Hazard

Regulations:

No information found.

Other Transport Precautions: Reportable Quantity: Methanol: 5000 lb

Acetic Acid: 5000 lb

15. REGULATORY INFORMATION

U.S. Federal Regulations:

OSHA: This product is considered a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Inventory: All components of this product are on the U.S. TSCA Inventory.

U.S. EPCRA (SARA Title III):

Section 302: No information found.

Sections 311/312:

Hazard Category	List (Yes/No)	
Section 311 – Hazardous Chemical	Yes	
Immediate Hazard	Yes	
Delayed Hazard	Yes	
Fire Hazard	Yes	
Pressure Hazard	No	
Reactivity Hazard	No	

Section 313: Methanol

CERCLA Reportable Quantities: Methanol: 5000 lb

Acetic Acid: 5000 lb

Product: Amido Black Methanol Base

Revision Date: 05/11/2017 8/9

International Inventories:

Country or Region	Inventory Name	On Inventory (Yes/No)*
Australia	Australian Inventory of Chemical Substances (AICS)	N/A
Canada	Domestic Substances List (DSL)	N/A
Canada	Non-Domestic Substances List (NDSL)	N/A
China	Inventory of Existing Chemical Substances in China (IECSC)	N/A
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	N/A
Europe	European List of Notified Chemical Substances (ELINCS)	N/A
Japan	Inventory of Existing and New Chemical Substances (ENCS)	N/A
Korea	Existing Chemicals List (ECL)	N/A
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	N/A

^{*}A "Yes" indicates that the listed component(s) of this product comply with the inventory requirements administered by the governing country(s).

16. OTHER INFORMATION

Disclaimer:

Pioneer Forensics, LLC provides the information in this Safety Data Sheet in the belief that it is reliable but assumes no responsibility for its completeness or accuracy. The physical properties reported in this SDS are obtained from literature and do not constitute product specifications. Pioneer Forensics, LLC makes and gives no representations or warranties with respect to the information contained herein or the product to which it refers, whether express, implied, or statutory, including without limitation, warranties of accuracy, completeness, merchantability, non-infringement, performance, safety, suitability, and fitness for a particular purpose. No warranty against infringement of any patent, copyright or trademark is made or implied. This SDS is intended only as a guide to the appropriate handling of the material by a properly trained person. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. Accordingly, Pioneer Forensics, LLC assumes no liability whatsoever for the use of or reliance upon this information including results obtained, incidental or consequential damages, or lost profits.

Issue Date: May 11, 2017

Reason for Revision: Update of Section 1 over 10/12/2015 version.

Product: Amido Black Methanol Base

Revision Date: 05/11/2017 9/9