		Revision Date 05/11/2	017
SECTION 1. PRODUCT AND CO	MP/	ANY IDENTIFICATION	
Product name	:	Ardrox [®] 9703	Pioneer Forensicsuc VERITATEM PER EVIDENTIA Truth Through Evidence
Substance number	:	REL_10630, PF15087	
Chemical usage	:	Nondestructive Testing	
Manufacturer or supplier's	deta	ails	
Company	:	Pioneer Forensics, LLC	
Address	:	6801 West 20th Street, Greeley, CO 80634	Suite 204
Telephone	:	(970) 515-5420	
Emergency telephone no	:	For health emergency,	call poison control: (800) 222-1222.

SECTION 2. HAZARDS IDENTIFICATION

Appearance	liquid
Colour	yellow
Odour	mild
Hazard Summary	Repeated or prolonged exposure may cause irritation of eyes and skin. Also harmful if swallowed.
GHS Classification	
Eye irritation	: Category 2A
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: Causes serious eye irritation.
Precautionary statements	 Prevention: Wash skin thoroughly after handling. Wear eye protection/ face protection. Response: IF IN EYES: Rinse cautiously with water for several minutes.

	Revision Date 05/11/2017
	Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.
Potential Health Effects	
Inhalation	: yes
Skin	: no
Ingestion	: yes
Aggravated Medical Condition	: None known.
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	Confirmed animal carcinogen with unknown relevance to humans
	Distillates (petroleum), 64742-47-8 hydrotreated light
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

:

Substance / Mixture

Hazardous components

Component	CAS-No.	Weight percent
Distillates (petroleum), hydrotreated light	64742-47-8	50 - 70
trade secret registry	735517-5160P	30 - 50
Dipropylene glycol butoxy ether	29911-28-2	10 - 20

Unidentified ingredients are considered not hazardous under Federal Hazard Communication Standard (29CFR 1910.1200).

Specific chemical identity of composition has been withheld as a trade secret.

Exact percentage of composition has been withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

	Revision Date 05/11/2017	
If inhaled	: Remove person to fresh air. If signs/symptoms continue, get medical attention.	
In case of skin contact	: Flush skin with large amounts of water. If irritation develops and persists, get medical attention.	
In case of eye contact	 Rinse immediately with plenty of water for at least 15 minutes. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. 	
If swallowed	 Rinse mouth. Drink plenty of water. Obtain medical attention. 	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Further information	:	Use water spray to cool unopened containers.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures		: Ensure adequate ventilation.
Methods and materials for containment and cleaning up		 Ventilate area. Clean up with inert absorbant material. Keep in suitable, closed containers for disposal. Flush with plenty of water.
Additional advice	:	Never return spills in original containers for re-use.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: Use only with adequate ventilation.
Conditions for safe storage	 Store indoors in a cool, well-ventilated place KEEP FROM FREEZING Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store product at temperatures between 50F and 100F.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Revision Date 05/11/2017

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000.000000 mg/m3	OSHA Z-1
		TWA	200.000000 mg/m3	ACGIH
		TWA	400 ppm 1,600.000000 mg/m3	OSHA P0

Personal protective equipment

Respiratory protection	:	If the occupational exposure limits cannot be met, suitable respirator equipment shall be worn.
Hand protection Remarks	:	Solvent-resistant gloves
Eye protection	:	Safety glasses with side-shields
Skin and body protection	:	Rubber or plastic apron
Hygiene measures	:	Avoid contact with skin, eyes and clothing. Wear suitable gloves and eye/face protection. Wear suitable protective clothing. Wash hands before breaks and immediately after handling the product. Provide adequate ventilation. Do not inhale fumes. Keep away from food and drink.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: yellow
Odour	: mild
рН	: not applicable
Freezing point	: <0 °C
Boiling point/boiling range	: no data available
Flash point	: > 93.4 °C
Evaporation rate	: (Water =1) Less than 1
Upper explosion limit	: not applicable
Lower explosion limit	: not applicable
Vapour pressure	: no data available

Revision Date 05/11/2017	
Relative density	: 0.881
Bulk density	: 7.35 lb/gal
Solubility(ies)	
Water solubility	: Appreciable
Partition coefficient: n- octanol/water	: no data available
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	:	freezing Direct sources of heat.
Incompatible materials	:	Strong acids and strong bases Strong oxidizing agents
Hazardous decomposition products	:	Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity Product:

Flouuci.				
Acute oral toxicity	: Acute toxicity estimate : 2,458.000000 mg/kg Method: Calculation method			
Components:				
Distillates (petroleum), hydro	treated light:			
Acute oral toxicity	: LD50 rat: 5,000.000000 mg/kg			
ý	, 6.6			
Dipropylene glycol butoxy ether:				
Acute oral toxicity				
Acute oral toxicity	. LD30 141. 1,473.000000 4,400.000000			
	LD50 mouse: 2,160.000000 mg/kg			
Acute inhalation toxicity	: LC50 rat: > 2,040.000000 mg/l			
Acute dermal toxicity	: LD50 rabbit: 5,340.000000 mg/kg			
	LD50 rabbit: 6,488.000000 mg/kg			

Revision Date 05/11/2017

Skin corrosion/irritation

Components:

Distillates (petroleum), hydrotreated light: Result: Mild skin irritation

trade secret registry:

Result: Mild skin irritation

Serious eye damage/eye irritation

Components:

Distillates (petroleum), hydrotreated light: Result: Mild eye irritation

trade secret registry: Result: Eye irritation

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available Bioaccumulative potential

Product:

Partition coefficient: noctanol/water Components:

: Remarks: no data available

Revision Date 05/11/2017

trade secret registry :	
Partition coefficient: n- octanol/water	: log Pow: 3.3 - 4.4

Other adverse effects

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

: Refer to all federal, provincial, state and local regulation prior to disposition of container and unused contents by reuse, recycle or disposal.

SECTION 14. TRANSPORT INFORMATION

International regulation

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

SECTION 15. REGULATORY INFORMATION TSCA Status : All components of this material comply with US TSCA requirements. **OSHA Hazards** : Harmful by ingestion., Mild skin irritant, Moderate eye irritant WHMIS Classification : D2B: Toxic Material Causing Other Toxic Effects **EPCRA - Emergency Planning and Community Right-to-Know Act** SARA 311/312 Hazards : Acute Health Hazard **SARA 302** : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. **SARA 313** : SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations Massachusetts Right To Know

Revision Date 05/11/2017


No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

Distillates (petroleum), hydrotreated light trade secret registry	64742-47-8 735517-5160P
Dipropylene glycol butoxy ether	29911-28-2

New Jersey Right To Know

Distillates (petroleum), hydrotreated light	64742-47-8
trade secret registry	735517-5160P
Dipropylene glycol butoxy ether	29911-28-2
Aminocoumarin	91-44-1



HMIS III:



0 = not significant, 1 =Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Safety Glasses, Gloves, Apron

SECTION 16. OTHER INFORMATION

Further information

Version 1.1 Revision Date 05/11/2017

The products supplied by Pioneer Forensics, LLC and information related to them are intended for use by buyers having necessary industrial skill and knowledge. Buyers should undertake sufficient verification and testing to determine the suitability of the Pioneer Forensics, LLC materials for their own particular purpose. Since buyer's conditions of use of products are beyond the control its control, Pioneer Forensics, LLC does not warrant any recommendations and information for the use of such products. PIONEER FORENSICS, LLC DISCLAIMS ALL OTHER WARRANTIES INCLUDING THE IMPLIED WARRANTY OF MERCHANTABILITY AND FITNESS FOR ANY PARTICULAR PURPOSE IN CONNECTION WITH THE USE OF ITS PRODUCTS.