

# Safety Data Sheet (SDS)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1 Product Identifiers**

Trade Name & Synonyms : **Rubbermakers Sulfur**  
 Product Name : Sulfur  
 Product Number : 75794  
 Brand : S.F. Sulfur  
 CAS Number : 7704-34-9

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified Uses : Rubber compounding and various industrial applications

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer/Supplier** : Sales, Technical Service  
 S. F. Sulfur Corporation  
 P. O. Box 5649  
 Valdosta, Georgia 31603  
 Tel: (229) 244-0000  
 Fax: (229) 245-1664  
<http://www.georgiagulfulfur.com>

**Shipping, Receiving**  
 S. F. Sulfur Corporation  
 608 E. Second Street  
 Freeport, Texas 77541  
 Tel: (979) 233-3555  
 Fax: (979) 233-7425  
 GPS Coordinates: 28o 56' 54" N  
 95o 20' 14" W

Distributed by:



4621 Technology Drive, Golden, CO 80403  
 ph: (303) 762-0800 fax: (303) 762-1240  
 Part #: S1142

**1.4 Emergency Assistance**

CHEMTREC Tel: (800) 424-9300 within the USA  
 Tel: 001-703-527-3887 outside the USA

## SECTION 2: HAZARDS IDENTIFICATION

**2.1 Classification of the substance or mixture**

**GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Skin irritation (Category 2), H315

**2.2 GHS Label elements**

Pictogram



Signal word : Warning

Hazard statement  
 H315 : Causes skin irritation.



## Safety Data Sheet (SDS)

### SECTION 2: HAZARDS IDENTIFICATION (Cont.)

#### 2.3 Precautionary Statement(s)

|             |  |
|-------------|--|
| P210        | Keep away from heat/sparks/open flames/hot surfaces. No smoking.                     |
| P240        | Ground/bond container and receiving equipment.                                       |
| P241        | Use explosion-proof electrical/ ventilating/ lighting equipment.                     |
| P264        | Wash skin thoroughly after handling.   |
| P280        | Wear protective gloves/ eye protection/ face protection.                             |
| P302 + P352 | IF ON SKIN: Wash with plenty of soap and water.                                      |
| P332 + P313 | If skin irritation occurs: Get medical advice/ attention.                            |
| P362        | Take off contaminated clothing and wash before reuse.                                |
| P370 + P378 | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. |
| P402        | Store in a dry place.  |
| P403        | Store in a well-ventilated place.  |
| P404        | Store in a closed container.   |

#### 2.4 Hazards not otherwise classified (HNOC) or not covered by GHS

Combustible Dust

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

|                  |                  |
|------------------|------------------|
| Chemical Formula | : S <sup>8</sup> |
| Molecular Weight | : 32.07 g/mol    |
| CAS-No.          | : 7704-34-9      |
| EC-No.           | : 231-722-6      |
| Index-No.        | : 016-094-00-1   |

#### 3.2 Mixture

| Product | Percentage Contained | CAS Number |
|---------|----------------------|------------|
| Sulfur  | >99.5%               | 7704-34-9  |

#### 3.3 Hazardous Ingredient : None

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of First Aid Measures

|             |   |
|-------------|---|
| <b>Skin</b> | Wash skin thoroughly with mild soap and water. Wash exposed clothing separately before reuse.   |
| <b>Eye</b>  | Immediately flush eyes with plenty of water for 15 minutes, while holding upper and lower lid apart to insure rinsing of entire eye surface and lids. Do not use boric acid to rinse with. FOR SEVERE IRRITATION, SEEK MEDICAL ATTENTION, preferably an ophthalmologist |



## Safety Data Sheet (SDS)

### SECTION 4: FIRST AID MEASURES (CONT)

|                   |  |
|-------------------|--|
| <b>Inhalation</b> | Move victim to fresh air. Watch for signs of an allergic reaction. Use a bronchodilator inhaler if directed by asthma patient. Keep victim warm and quiet. If not breathing, give artificial respiration. If heart has stopped beating, start cardiopulmonary resuscitation (CPR). SEEK MEDICAL ATTENTION.   |
| <b>Ingestion</b>  | Give one tablespoon of <i>Syrup of Ipecac</i> to induce vomiting. If vomiting does occur, give fluids again. If vomiting has not occurred in twenty minutes, the same dose of <i>Syrup of Ipecac</i> may be repeated one additional time. Alternatively, vomiting may be induced by touching the back of the throat with a finger. Do not give anything by mouth to an unconscious or convulsing person. SEEK MEDICAL ATTENTION. |

#### 4.2 Most Important Symptoms and Effects (Long-Term and Acute)

The most important known symptoms and effects are described in Section 2.2  
Also, refer to Section 11: Toxicological Information

#### 4.3 Indication of any Immediate Medical Attention or Special Treatment Needs

Individuals with known allergies to sulfide drugs may also have allergic reactions to elemental sulfur

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing Media

**Suitable Extinguishing Media** Water fog, spray, alcohol-resistant foam, dry chemical, or carbon dioxide

**Unsuitable Extinguishing Media** Do not use solid streams of water, which could create sulfur dust clouds and cause an explosion or could move burning sulfur to adjacent areas.

#### 5.2 Exposure and Special Hazards Arising from the Substance or Mixture

Sulfur Oxides Prevent human exposure to smoke, fumes, or products of combustion.

#### 5.3 Advice for Personnel

Evacuate nonessential personnel from the fire area. If large fire, evacuate people downwind from fire. Consider evacuation for ½ mile in all directions.

#### 5.4 Advice for Firefighters

Firemen exposed to contaminated smoke should be immediately relieved and checked for symptoms of exposure of toxic gases. This should not be mistaken for heat exhaustion or smoke inhalation. Seek medical attention immediately



## Safety Data Sheet (SDS)

### SECTION 5: FIREFIGHTING MEASURES (CONT)

#### 5.5 Protective Equipment

Wear full-faced, self-contained breathing apparatus and full protective clothing.

#### 5.6 Other Important Fire and Explosion Hazard Information

Fire will rekindle until mass is cooled below 310°F (154°C). Cool surrounding areas with water fog to prevent re-igniting. Sulfur dust is HIGHLY FLAMMABLE. If suspended in air, it will ignite by friction, static electricity, heat, sparks, or flames. Sulfur dust clouds may explode.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal Precautions

Minor spills such as torn or ruptured containers should be repaired or patched with tape if possible. Place spilled material in a disposable container. Avoid getting dust in eyes.

#### 6.2 Protective Equipment

Maintain adequate ventilation. Wear a dust mask when dust is present or a respirator if smoke is present. Wear safety glasses.

#### 6.3 Emergency Procedures

As an immediate precautionary measure isolate spills or leak areas. Eliminate all sources of ignition, such as flares, sparks, or flames, in the immediate area. No smoking. Ventilate closed spaces before entering.

#### 6.4 Environmental Precautions

Do not allow runoff to enter lakes or waterways.

#### 6.5 Methods and Materials for Containment and Cleanup

Gently sweep or shovel up spilled material using a natural fiber broom and/or aluminum shovel to prevent sparking, to avoid creating a dust cloud. Place sweepings in an appropriate chemical waste container for reclaiming or disposal in an approved facility. Wash spill site after clean-up is complete.

#### 6.6 Reference to Other Sections

For disposal see Section 13.

## Safety Data Sheet (SDS)

### SECTION 7: STORAGE AND HANDLING

#### 7.1 Precautions for Safe Handling

**All handling and conveying equipment should be properly grounded and bonded. Be careful not to create dust.**

Avoid contact with skin or eyes. Avoid any conditions that might tend to create a dust explosion. Maintain good housekeeping practices to minimize dust build-up and dispersion. Eliminate sources of ignition. Keep away from heat, sparks, and flames. Use nonferrous tools, when available, to reduce sparking. Gently sweep or shovel up spilled materials using a natural fiber broom and/or aluminum shovel to prevent sparking. Maintain adequate ventilation in all areas.

For precautions see section 2.2

#### 7.2 Conditions for Safe Storage, Including any Incompatibilities

Containers should be stored in a cool, dry, well-ventilated area. Keep container tightly closed. Store away from flammable materials, sources of heat, flames, and sparks. Separate from chlorates, nitrates, and other oxidizing agents. Exercise due caution to prevent damage to or leakage from container.

#### 7.3 Specific End Use(s)

Refer to Section 1.2

### SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

#### 8.1 Control parameters

##### Components with Workplace Control Parameters

Contains no substances with occupational exposure limit values.

#### 8.2 Exposer Controls

##### Appropriate Engineering Controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Maintain adequate ventilation in all areas. No flares or flames in area. Be careful not to create dust. Eliminate sources of ignition.

##### 8.2.1 Personal Protective Equipment

##### Pictograms



##### 8.2.2 Respiratory

Wear dust masks and use NIOSH/MSHA approved dust respirator if airborne concentrations exceed exposure limits.

##### 8.2.3 Eyes/Face

Wear suitable, protective safety glasses to prevent eye irritation from dust.

##### 8.2.4 Hands

Wash hands thoroughly after handling and before eating or smoking.



## Safety Data Sheet (SDS)

### SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION (CONT)

**8.2.5 Skin/Body** Wear suitable, protective clothing to prevent skin irritation from dust. Wash skin thoroughly after handling and before eating or smoking. Wash contaminated clothing separately before reuse.

**Environmental Exposure Controls** Follow best practice for site management and disposal of waste. Avoid release to the environment.

#### 8.3 General Industrial Hygiene Considerations

Protective equipment should be used in any situation that may result in hazardous exposure. Maintain good housekeeping practices to minimize dust build-up and dispersion. Eliminate sources of ignition. Use nonferrous tools to reduce sparking. Sweep or shovel up spilled material using a natural fiber broom and/or aluminum shovel to prevent sparking. Maintain adequate ventilation in all areas.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on Basic Physical and Chemical Properties

|                                   |   |
|-----------------------------------|---|
| <b>Physical State</b>             | Solid, powder form                                |
| <b>Appearance</b>                 | Yellow powder                                     |
| <b>Formula</b>                    | S <sub>8</sub> (Rhombic or monoclinic)            |
| <b>Odor</b>                       | Odorless, or faint odor of rotten eggs            |
| <b>Odor Threshold</b>             | No data available                                 |
| <b>pH</b>                         | No data available                                 |
| <b>Boiling Point</b>              | 832° F (444° C)                                   |
| <b>Melting/Freezing Point</b>     | 118-120°C (244-248°F)                             |
| <b>Flash Point</b>                | 207°C (405°F) Closed Cup                          |
| <b>Evaporation Rate</b>           | No data available                                 |
| <b>Flammability</b>               | May form combustible dust concentrations in air   |
| <b>Flammable/Explosion Limits</b> | Upper: 6.38% (v) Lower: 0.17% (v)                 |
| <b>Vapor Pressure</b>             | 8mmHg at 246°C (475°F) 1mmHg at 183.8°C (362.8°F) |
| <b>Vapor Density</b>              | No data available                                 |
| <b>Purity</b>                     | 99.5% Min.  |
| <b>Auto-Ignition Temperature</b>  | 240°C (464°F)                                     |
| <b>Decomposition Temperature</b>  | Does not decompose                                |
| <b>Viscosity</b>                  | Not applicable                                    |
| <b>Specific Gravity</b>           | 2.07 @ 70° F                                      |



## Safety Data Sheet (SDS)

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (CONT)

|                     |                                     |
|---------------------|-------------------------------------|
| Solubility in Water | Insoluble                           |
| Bulk Density        | Powder: 33-80 lbs. /ft <sup>3</sup> |

### SECTION 10: STABILITY AND REACTIVITY

|      |   |  |
|------|---|--|
| 10.1 | Reactivity                                  | No Data Available  |
| 10.2 | Chemical Stability                          | Stable under recommended storage conditions.   |
| 10.3 | Possibility of Possible Hazardous Reactions | No Data Available  |
| 10.4 | Conditions to Avoid                         | Avoid moisture. Keep away from heat sources, sparks, and open flames. Minimize dust generation and accumulation.<br>Refer to Section 2.3 |
| 10.5 | Incompatible Materials                      | No Data Available  |
| 10.6 | Hazardous Decomposition Products            | Hazardous decomposition products formed under fire conditions.<br>In an event of a fire: see Section 5                                   |

### SECTION 11: TOXICOLOGICAL INFORMATION

|        |                                      |   |
|--------|--------------------------------------|---|
| 11.1   | Likely Routes of Exposure            | Inhalation, ingestion, skin contact, and eye contact  |
| 11.2   | Information on Toxicological Effects |   |
| 11.2.1 | Signs and Symptoms of                | Nose or throat irritation, coughing, chest discomfort, asthma, difficulty breathing,  |
| 11.2.2 | Overexposure                         | nausea, vomiting, stinging eye irritation, skin irritation, hives.  |
| 11.2.3 | Exposure Limits                      | No exposure limits have been established  |
| 11.2.4 | Acute Symptoms and Effects           |   |
|        | Inhalation                           | Prolonged inhalation may cause irritation of respiratory tract. Breathing of dust may aggravate asthma and other pulmonary diseases.  |
|        | Eye Contact                          | Sulfur dust is an eye irritant.   |
|        | Skin Contact                         | No adverse effects; however, skin irritation may be aggravated in persons with existing skin lesions.   |
|        | Ingestion                            | Ingested sulfur is converted to sulfides in the gastrointestinal tract, and ingestion of 10 to 20 grams has caused irritation of the GI tract and renal injury. Swallowing large amounts may cause nausea and vomiting. |

## Safety Data Sheet (SDS)

### SECTION 11: TOXICOLOGICAL INFORMATION (CONT)

|               |                          |  |
|---------------|--------------------------|--|
| <b>11.2.5</b> | <b>Long-Term Effects</b> | None known to humans   |
| <b>11.3</b>   | <b>Carinogenicity</b>    | <p><b>IARC:</b> No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.<br/>No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.</p> <p><b>ACGIH:</b> No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.</p> <p><b>NTP:</b> No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.</p> <p><b>OSHA:</b> No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.</p> |
| <b>11.4</b>   | <b>Toxicity</b>          | <p><b>LD<sub>50</sub></b> Oral: &gt;5050 mg/kg (rats) Dermal: &gt;2020 mg/kg (rats)</p> <p><b>LC<sub>50</sub></b> Inhalation @ 90%: &gt;5.49-mg/L air concentration (rats)</p> <p><b>Skin</b> Slightly irritating (rabbits)</p> <p><b>Eye</b> Minimal irritation in non-washed eyes (rabbits)</p>  |

|   |  |   |   |
|---|--|---|---|
| <u>Sensitization</u><br>Not Established | <u>Reproductive Effects</u><br>Not Established | <u>Developmental Effects</u><br>Not Established | <u>Endocrine Disruptor</u><br>Not Established |
|---|--|---|---|

|   |                       |                     |
|---|-----------------------|---------------------|
| <u>Carcinogenicity</u>  | <u>Teratogenicity</u> | <u>Mutagenicity</u> |
| This product does not contain any ingredient designated by NTP, IARC, or OSHA as a probable human carcinogen. |                       |                     |

### SECTION 12: ECOLOGICAL INFORMATION

|             |   |   |
|-------------|---|---|
| <b>12.1</b> | <b>Toxicity</b>                           | <p><b>12.1.1 Toxicity to fish</b> LC50- Oncorhynchus mykiss (rainbow trout) -&gt; 180 mg/l -96h<br/>LC50- other fish- 866 mg/l -96h</p> <p><b>12.1.2 Toxicity to Daphnia and Other Aquatic Invertebrates</b><br/>EC50- Daphnia magna (Water flea) -&gt; 5,000 mg/l -48h</p> |
| <b>12.2</b> | <b>Ecotoxicity</b>                        | No data available   |
| <b>12.3</b> | <b>Mobility</b>                           | No data available   |
| <b>12.4</b> | <b>Degradation</b>                        | No data available   |
| <b>12.5</b> | <b>Bioaccumulation</b>                    | No data available   |
| <b>12.6</b> | <b>Results of PBT and vPvB Assessment</b> | PBT/vPvB assessment not available as chemical safety assessment not required/not conducted  |



## Safety Data Sheet (SDS)

### SECTION 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste Treatment Methods

- 13.1.1 Product Waste** Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
- 13.1.2 Packaging Waste** Dispose of content and/or container in accordance with local, regional, national and/or international regulations.

### SECTION 14: TRANSPORTATION INFORMATION

Solid sulfur is not regulated if transported in non-bulk packaging (less than 400kg per package) or if formed to a specific shape, such as prills, granules, pellets, pastilles, or flakes (49 CFR 172.102, special provision 30).

#### US and Canadian Shipments

##### Bulk containers (packaging) of powdered sulfur of more than 400 kg (880 lbs.) per package

|                            | 14.1 UN number | 14.2 UN proper shipping name | 14.3 transport hazard class(es) | 14.4 packaging group | 14.5 environmental hazards |
|----------------------------|----------------|------------------------------|---------------------------------|----------------------|----------------------------|
| <b>DOT (Domestic)</b>      | NA1350         | Sulfur (Sulphur)             | 9 (Misc. Hazardous Materials)   | III                  | No data available          |
| <b>DOT (International)</b> | UN1350         | Sulphur (Sulfur)             | 4                               | III                  | No data available          |
| <b>TDG</b>                 | UN 1350        | Sulfur                       | 4.1                             | III                  | No data available          |

#### Other than US and Canadian Shipments

##### All shipments of powdered sulfur

|                  |        |                  |                       |     |                   |
|------------------|--------|------------------|-----------------------|-----|-------------------|
| <b>IMO/IMDG</b>  | UN1350 | Sulphur (Sulfur) | 4.1 (flammable solid) | III | No data available |
| <b>IATA/ICAO</b> | UN1350 | Sulfur           | 4.1                   | III | No data available |

This product is not a Marine Pollutant as defined in 40 CFR Part 172.

#### Pictograms for Hazard Classes

#### Powdered sulfur packaging over 400 kg (880 lbs.) only



#### Special Precautions for User

None specified



## Safety Data Sheet (SDS)

### SECTION 15: REGULATORY INFORMATION

- 15.1 TSCA This product is listed on the TSCA Inventory at CAS Registry Number 7704-34-9.
- 15.2 CERCLA *Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)*
- If this product is accidentally spilled, it is not subject to any special reporting. We recommend that you contact state and local authorities to determine if there are other local reporting requirements.
- 15.3 SARA TITLE III *Superfund Amendments and Reauthorization Act, Title III*
- Sections 311/312: None. Section 313: None. Section 302: None.
- 15.4 RCRA *Resource Conservation and Recovery Act*
- Not subject to reporting because sulfur is not identified as a hazardous waste.

### SECTION 16: OTHER INFORMATION

Last Revision Date 03/27/2020 Preparation Date 08/29/2018

**Additional Information** For additional information, contact your technical sales representative. For additional health and safety information, call Georgia Gulf Sulfur Corporation at 229-244-0000.

**Disclaimer/  
Statement of Liability** THE INFORMATION CONTAINED HEREIN IS BASED ON THE PRESENT KNOWLEDGE AND DATA AVAILABLE TO US AND IS BELIEVED TO BE CORRECT. HOWEVER, S.F. SULFUR CORPORATION MAKES NO WARRANTY, EXPRESSED OR IMPLIED, REGARDING THE ACCURACY OF THIS DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. FURTHERMORE, THIS SHALL NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH AND LEGALLY VALIDIFY A CONTRACTUAL RELATIONSHIP. S.F. SULFUR CORPORATION ASSUMES NO RESPONSIBILITY FOR INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.