



# **Safety Data Sheet**

#### 1. **IDENTIFICATION**

**Product Identifier: Lithium Chloride** 

Product Code(s): L1011, CSL1011

Synonyms: No information found.

**Recommended Use:** For manufacturing, industrial, and laboratory use only. Use as a catalyst or as a laboratory

solute.

Not for food, drug, or household use. **Uses Advised Against:** 

Supplier: Rocky Mountain Reagents, Inc.

> 4621 Technology Drive, Golden, CO 80403 Phone: (303) 762-0800 Fax: (303) 762-1240

**Emergency Phone Number:** For health emergency, call poison control: (800) 222-1222.

#### 2. HAZARDS IDENTIFICATION

**Hazard Classifications:** Acute Toxicity - Oral: Category 4

Skin Corrosion/Irritation: Category 2 Eye Damage/Irritation: Category 2A

Signal Word: **WARNING** 

**Hazard Statements:** Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

Pictograms:



**Precautionary Statements:** 

Prevention: Wash thoroughly after handling.

> Do not eat, drink, or smoke when using this product. Wear protective gloves, eye protection, and face protection.

Product: Lithium Chloride

Revision Date: 05/19/2016 1/7 **Response:** If swallowed: Call a poison center or doctor if you feel unwell. Rinse mouth.

If on skin: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off

contaminated clothing and wash it before reuse.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Storage: Not applicable.

**Disposal:** Dispose of contents and container in accordance with local, regional, national, and

international regulations.

**Hazards Not Otherwise** 

Classified:

May be harmful to aquatic life. Avoid release to the environment.

Toxicity Statement: Not applicable.

# 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Component	Common Name / Synonyms	CAS#	Chemical Formula	% by Weight
Lithium Chloride	-	7447-41-8	LiCl	≥ 99.0

Trade Secret Statement: Not applicable.

### 4. FIRST AID MEASURES

First Aid Procedures:

**Inhalation:** Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

respiration. Call a physician if symptoms occur.

**Ingestion:** Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs,

keep head low so that vomit does not enter lungs. Never give anything by mouth to an

unconscious person. Get medical attention immediately.

**Skin Contact:** Wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated

clothing and shoes. Wash clothing before reuse. Call a physician if symptoms occur.

**Eye Contact:** Check for and remove contact lenses, if present and easy to do. Immediately flush eyes with

gentle but large stream of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Immediate medical attention is required. Call a physician if symptoms occur.

General Advice: Poison information centers in each state can provide additional assistance for scheduled

poisons. Ensure that those providing first aid and medical personnel are aware of the

material(s) involved and take precautions to protect themselves.

Symptoms and Effects: Irritation, coughing, sneezing, ringing in ears, nausea, vomiting, diarrhea, difficulty speaking,

drowsiness, twitching, visual disturbances, loss of appetite. Harmful if swallowed. May be harmful if inhaled or exposed to the eyes. May cause irritation to the skin. May affect central nervous system. Prolonged or repeated exposure may cause reproductive effects and dermatitis; may affect the liver, stomach, kidneys, thyroid, and central nervous system.

Immediate Medical Care/

Special Treatment:

Get medical attention if feeling unwell or concerned. Treat symptomatically. Symptoms may

be delayed.

Product: Lithium Chloride Revision Date: 05/19/2016

# 5. FIREFIGHTING MEASURES

Suitable Extinguishing Media: Water spray, dry powder, alcohol resistant foam, carbon dioxide.

Unsuitable Extinguishing Media: Do not use a solid (straight) water stream, as it may scatter and spread fire.

**Hazardous Combustion** 

**Products:** 

Lithium oxides, hydrogen chloride.

Specific Hazards: Excessive thermal conditions may cause decomposition and yield hazardous combustion

products listed above.

Special Protective Equipment/ Precautions for Firefighters: As in any fire, wear MSHA/NIOSH-approved (or equivalent), self-contained, positive-

pressure or pressure-demand breathing apparatus and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Protective Equipment:

Ventilate area of leak or spill. Isolate hazard area and keep unnecessary and unprotected personnel away from the area of the leak or spill. Keep upwind. Wear appropriate personal

protective equipment (see Section 8). Avoid contact with eyes, skin, and clothing.

Emergency Procedures: In case of chemical emergency, or if unsure how to address an accidental release, consult a

professional (see Section 1).

Methods for Containment: Prevent entry into waterways, sewer, basements, or confined areas. Avoid generation of

product as dust. Product should not be released to the environment. Contain and recover

crystal when possible.

**Methods for Cleanup:** Sweep or collect spill with an inert material (e.g. vermiculite, dry sand, earth, cloth, or fleece)

and place in a non-combustible container for reclamation or disposal. Do not flush to sewer. Clean contaminated surface thoroughly. Residues from spills can be diluted with water. Never return spills in original containers for reuse. Clean up in accordance with all

applicable regulations.

### 7. HANDLING AND STORAGE

**Handling:** Wear personal protective equipment (see Section 8). Use only in well-ventilated areas.

Provide sufficient air exchange and/or exhaust in work rooms. Avoid contact with skin, eyes, and clothing. Avoid generation of dust. Do not breathe product dust. Avoid exposure to moisture. Do not ingest. When using, do not eat, drink, or smoke. Keep away from

incompatible materials (see Section 10). Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Containers of this material may be hazardous when empty, as they retain product residues. Observe all warnings and

precautions listed for this product.

Storage: Store in a cool, dry, ventilated area. Store in a segregated and approved area away from

heat and incompatible materials (see Section 10). Store in original container. Keep containers tightly closed and upright. Keep away from food, drink, and animal foodstuffs. Keep out of the reach of children. Comply with all national, state, and local codes pertaining

to the storage, handling, dispensing, and disposal of this product.

#### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

**Exposure Limits:** No information found.

Product: Lithium Chloride Revision Date: 05/19/2016 **Engineering Controls:** Ensure adequate ventilation. Ventilation rates should be matched to conditions. If

applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not

been established, maintain airborne levels to an acceptable level.

**Personal Protective Measures:** 

Eye/Face Protection: Wear safety glasses with side shields or goggles. Maintain approved eye wash station and

accessible rinse facilities in work area.

**Skin Protection:** Wear appropriate chemical resistant clothing (with long sleeves) and appropriate chemical

resistant gloves.

Respiratory Protection: An air-purifying, NIOSH-approved respirator with an organic vapor cartridge or canister may

be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Use a positive-pressure, air-supplied respirator if there is any potential for an uncontrolled release, if exposure levels are unknown, or if any other circumstances exist where air-purifying respirators may not provide adequate protection.

Specific Requirements for Personal Protective Equipment:

Ensure that glove material is compatible with this product. This information is available from

glove manufacturers.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Unless otherwise indicated, all properties are given at 25 °C and standard pressure.

**Appearance:** Colorless to white, translucent, crystalline solid.

Odor: Odorless.

Odor Threshold: No information found.

Formula Weight: 42.39

**pH:** 7 (50 g/L aqueous)

Melting/Freezing Point: 614 °C

Boiling Point/Range: 1382 °C

**Decomposition Temperature:** No information found.

Flash Point:

Auto-ignition Temperature:

Not applicable.

Not applicable.

Not flammable.

Flammability/Explosive Limits:

Not applicable.

Solubility: 832 g/L aqueous at 20 °C

Vapor Pressure:No information found.Vapor Density:No information found.Specific Gravity:2.068 (Water = 1)Evaporation Rate:No information found.

Viscosity: No information found.

Partition Coefficient No information found.

(n-octanol/water):

Product: Lithium Chloride

Revision Date: 05/19/2016 4/7

# 10. STABILITY AND REACTIVITY

**Reactivity Data:** No information found. May be corrosive to certain metals.

Chemical Stability: Stable under normal conditions. Hygroscopic.

**Conditions to Avoid:** Excessive heat, moisture, incompatible materials.

**Incompatible Materials:** Strong oxidizers, metals, strong acids.

**Hazardous Decomposition** 

**Products:** 

Lithium oxides, hydrogen chloride.

**Possibility of Hazardous** 

Reactions:

May react vigorously or violently with the incompatible materials listed above. Excessive

thermal conditions may yield hazardous decomposition products listed above.

Hazardous Polymerization: Will not occur.

### 11. TOXICOLOGICAL INFORMATION

**Routes of Exposure:** Inhalation, ingestion, skin contact, eye contact.

Acute Effects: Harmful if swallowed. May be harmful if inhaled or exposed to the eyes. May cause irritation

to the skin. May affect central nervous system.

Chronic Effects: Prolonged or repeated exposure may cause reproductive effects and dermatitis; may affect

the liver, stomach, kidneys, thyroid, and central nervous system.

**Toxicological Data:** LD<sub>50</sub> Oral, Rat: 710 mg/kg

Causes eye and skin irritation based on animal data.

Symptoms of Exposure: Irritation, coughing, sneezing, ringing in ears, nausea, vomiting, diarrhea, difficulty speaking,

drowsiness, twitching, visual disturbances, loss of appetite.

Carcinogenic Effects: This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

#### 12. ECOLOGICAL INFORMATION

**Ecotoxicological Data:** EC<sub>50</sub>, Water Flea (Daphnia magna): 249 mg/L 48 h

 $LC_{50}$ , Fathead Minnow (Pimphales promelas): 1.2 mg/L 96 h  $LC_{50}$ , Rainbow Trout (Oncorhynchus mykiss): 158 mg/L 96 h

**Persistence and Degradability:** This product is unlikely to bioaccumulate.

**Environmental Effects:** May be harmful to aquatic organisms. Avoid release to the environment.

# 13. DISPOSAL INFORMATION

**Disposal Instructions:** Dispose of this material and its container to an approved waste collection point. Minimize

exposure to product waste (see Section 8). Do not dispose unused waste down drains or into sewers. All wastes must be handled in accordance with local, state, and federal

regulations.

Contaminated Packaging: Because containers retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

Product: Lithium Chloride

Revision Date: 05/19/2016 5/7

Waste Codes: No information found.

# 14. TRANSPORT INFORMATION

**DOT:** Not regulated.

**Environmental Hazard** 

Regulations:

Not regulated as a marine pollutant.

Other Transport Precautions: No information found.

# 15. REGULATORY INFORMATION

#### **U.S. Federal Regulations:**

OSHA: This product is considered a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

**TSCA Inventory:** All components of this product are on the U.S. TSCA Inventory.

U.S. EPCRA (SARA Title III):

**Section 302:** No information found.

Sections 311/312:

Hazard Category	List (Yes/No)
Section 311 – Hazardous Chemical	Yes
Immediate Hazard	Yes
Delayed Hazard	Yes
Fire Hazard	No
Pressure Hazard	No
Reactivity Hazard	No

Section 313: No information found.

CERCLA Reportable Quantities: No information found.

### **International Inventories:**

Country or Region	Inventory Name	On Inventory (Yes/No)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

<sup>\*</sup>A "Yes" indicates that the listed component(s) of this product comply with the inventory requirements administered by the governing country(s).

Product: Lithium Chloride

# 16. OTHER INFORMATION

Disclaimer:

Rocky Mountain Reagents, Inc. provides the information in this Safety Data Sheet in the belief that it is reliable but assumes no responsibility for its completeness or accuracy. The physical properties reported in this SDS are obtained from literature and do not constitute product specifications. Rocky Mountain Reagents, Inc. makes and gives no representations or warranties with respect to the information contained herein or the product to which it refers, whether express, implied, or statutory, including without limitation, warranties of accuracy, completeness, merchantability, non-infringement, performance, safety, suitability, stability, and fitness for a particular purpose. No warranty against infringement of any patent, copyright or trademark is made or implied. This SDS is intended only as a guide to the appropriate handling of the material by a properly trained person. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. Accordingly, Rocky Mountain Reagents, Inc. assumes no liability whatsoever for the use of or reliance upon this information including results obtained, incidental or consequential damages, or lost profits.

Issue Date: May 19, 2016

**Reason for Revision:** Update of Section 9 over 09/21/2016 version.

Product: Lithium Chloride Revision Date: 05/19/2016