



SAFETY DATA SHEET

Revision Date 09-Sep-2015 Version 1

1. IDENTIFICATION

Product Name Carbol-Fuchsin Stain Solution, Kinyoun

Product Code 2850

Recommended Use For laboratory, scientific, R&D or manufacturing use.

Company E K Industries, Inc.

1403 Herkimer St. Joliet, IL 60432 Tel. (800) 283-4244

Emergency Telephone Call CHEMTREC 1-800-424-9300 (EKI CCN 7453)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Germ cell mutagenicity	Category 2
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 1
Specific target organ toxicity (repeated exposure)	Category 2
Flammable liquids	Category 3

Label elements

Signal word

Danger

Hazard statements

Harmful if swallowed. Causes severe skin burns and eye damage. Suspected of causing genetic defects. Suspected of causing cancer. Causes damage to organs. May cause damage to organs through prolonged or repeated exposure. Flammable liquid and vapor.



Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal

protective equipment as required. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. In case of fire: Use CO2, dry chemical, or foam for extinction.

Precautionary Statements - Storage

Store locked up. Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Water	7732-18-5	70-85
Ethyl alcohol	64-17-5	10-15
Phenol	108-95-2	<10
Basic fuchsin	632-99-5	<5
Methyl alcohol	67-56-1	<3
Isopropyl alcohol	67-63-0	<3

4. FIRST AID MEASURES

Description of first aid measures

Eye contact Immediately flush with plenty of water for at least 15 minutes, separating eyelids

occasionally. Remove contact lenses if present. Get immediate medical attention.

Skin contact Immediately flush skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes. Immediate medical attention is required.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get immediate medical attention.

Ingestion Rinse mouth. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Immediate medical

attention is required.

Most important symptoms and effects, both acute and delayed

Symptoms Causes severe skin burns and eye damage. May cause damage to organs, cancer, or

genetic defects.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Specific hazards arising from the chemical

No information available.

Hazardous combustion products

Carbon oxides.

Protective equipment and precautions for firefighters

Firefighters should wear self-contained breathing apparatus with full facepiece operated in pressure-demand or other positive pressure mode.

NFPA Health hazards 3 Flammability 2 Instability 0 Physical and Chemical

Properties -

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation, especially in

confined areas.

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Absorb spill with inert material, scoop up and containerize for disposal.

7. HANDLING AND STORAGE

Handle in accordance with good industrial hygiene and safety practice.

Storage Conditions Store in an approved Flammable Liquids storage area. Keep away from heat, sparks, flame

and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep

containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m³
Phenol 108-95-2	TWA: 5 ppm Skin	TWA: 5 ppm TWA: 19 mg/m³ (vacated) TWA: 5 ppm (vacated) TWA: 19 mg/m³ (vacated) Skin Skin	IDLH: 250 ppm Ceiling: 15.6 ppm 15 min Ceiling: 60 mg/m³ 15 min TWA: 5 ppm TWA: 19 mg/m³
Methyl alcohol 67-56-1	STEL: 250 ppm TWA: 200 ppm Skin	TWA: 200 ppm TWA: 260 mg/m³ (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m³ (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m³ (vacated) SKin	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m³ STEL: 250 ppm STEL: 325 mg/m³
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm

67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³ (vacated) TWA: 400 ppm	TWA: 400 ppm TWA: 980 mg/m³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	-

Appropriate engineering controls

Engineering Controls Emergency showers, eyewash stations, ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

No information available

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance
Odor
No information available
No information available
No information available
No information available

pH No information availableMelting point / freezing point No information available

Boiling point / boiling rangeNo information 43.3 C

Evaporation rate
No information available
Flammability (solid, gas)
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Relative density 0.990

Water solubility
Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity

No information available
No information available
No information available
No information available

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Conditions to avoid Extremes of temperature and direct sunlight. Sources of ignition. Flame.

Incompatible materials Strong acids.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation No data available.

Eye contact Risk of serious damage to eyes.

Skin contact May cause burns.

Ingestion Harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl alcohol 64-17-5	-	-	= 124.7 mg/L (Rat) 4 h
Phenol 108-95-2	-	= 630 mg/kg (Rabbit)	-
Methyl alcohol 67-56-1	= 5628 mg/kg (Rat)	-	= 83.2 mg/L (Rat) 4 h
Isopropyl alcohol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg(Rabbit)	= 16000 ppm (Rat) 8 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicityNo information available.
No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen

our our og or morely		en maneares mineries easi	. agone, nao notoa any mg	ji caiciit ac a caicii egei.
Chemical Name	ACGIH	IARC	NTP	OSHA
Phenol 108-95-2	-	Group 3	-	-
Basic fuchsin 632-99-5	-	Group 2B	-	X
Isopropyl alcohol 67-63-0	-	Group 3	-	-

Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not classifiable as to carcinogenicity in humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemic	al Name	Algae/aquatic plants	Fish	Crustacea
,	alcohol -17-5	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
1	enol 3-95-2	46.42: 96 h Pseudokirchneriella subcapitata mg/L EC50 0.0188 - 0.1044: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 187 - 279: 72 h Desmodesmus subspicatus mg/L EC50 static	11.9 - 50.5: 96 h Pimephales promelas mg/L LC50 flow-through 20.5 - 25.6: 96 h Pimephales promelas mg/L LC50 static 32: 96 h Pimephales promelas mg/L LC50 5.449 - 6.789: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 7.5 - 14: 96 h Oncorhynchus mykiss mg/L LC50 static 4.23 - 7.49: 96 h	

		Oncorhynchus mykiss mg/L LC50	
		semi-static 5.0 - 12.0: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		13.5: 96 h Lepomis macrochirus	
		mg/L LC50 static 11.9 - 25.3: 96 h	
		Lepomis macrochirus mg/L LC50	
		flow-through 11.5: 96 h Lepomis	
		macrochirus mg/L LC50 semi-static	
		34.09 - 47.64: 96 h Poecilia	
		reticulata mg/L LC50 static 31: 96 h	
		Poecilia reticulata mg/L LC50	
		semi-static 27.8: 96 h Brachydanio	
		rerio mg/L LC50 0.00175: 96 h	
		Cyprinus carpio mg/L LC50	
		semi-static 33.9 - 43.3: 96 h Oryzias	
		latipes mg/L LC50 flow-through 23.4	
		- 36.6: 96 h Oryzias latipes mg/L	
		LC50 static	
Methyl alcohol	-	28200: 96 h Pimephales promelas	-
67-56-1		mg/L LC50 flow-through 100: 96 h	
		Pimephales promelas mg/L LC50	
		static 19500 - 20700: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		flow-through 18 - 20: 96 h	
		Oncorhynchus mykiss mL/L LC50	
		static 13500 - 17600: 96 h Lepomis	
		macrochirus mg/L LC50	
		flow-through	
Isopropyl alcohol	1000: 96 h Desmodesmus	9640: 96 h Pimephales promelas	13299: 48 h Daphnia magna mg/L
67-63-0	subspicatus mg/L EC50 1000: 72 h	mg/L LC50 flow-through 11130: 96	EC50
	Desmodesmus subspicatus mg/L	h Pimephales promelas mg/L LC50	
	EC50	static 1400000: 96 h Lepomis	
		macrochirus μg/L LC50	

Persistence and degradability No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
Ethyl alcohol 64-17-5	-0.32
Phenol 108-95-2	1.47
Methyl alcohol 67-56-1	-0.77
Isopropyl alcohol 67-63-0	0.05

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and Disposal of wastes

regulations.

Contaminated packaging Do not reuse container. Emptied containers may contain residue. Continue to follow label

warnings after container is emptied.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Phenol	U188	Included in waste streams:	-	U188
108-95-2		F039, K001, K022, K087		
		Included in waste stream:		
		K060		

Methyl alcohol	-	Included in waste stream:	-	U154
67-56-1		F039		

Chemical Name	California Hazardous Waste Status
Ethyl alcohol	Toxic
64-17-5	Ignitable
Phenol	Toxic
108-95-2	Corrosive
Methyl alcohol	Toxic
67-56-1	Ignitable
Isopropyl alcohol	Toxic
67-63-0	Ignitable

14. TRANSPORT INFORMATION

Transportation information is provided as a general reference only and may not be applicable in all situations. This information applies to non-bulk shipments only. Per 49 CFR §173.22, it is the shipper's responsibility to ensure that all materials are properly packaged, classified and labeled prior to shipment.

<u>DOT</u>

UN/ID no. 1170

Proper shipping name Ethanol solutions

Hazard Class 3
Packing Group III

IATA

UN/ID no. 1170

Proper shipping name Ethanol solutions

Hazard Class 3
Packing Group III

15. REGULATORY INFORMATION

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
Phenol - 108-95-2	1.0	
Methyl alcohol - 67-56-1	1.0	
Isopropyl alcohol - 67-63-0	1.0	

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phenol 108-95-2	1000 lb	X	X	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Phenol 108-95-2	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ
Methyl alcohol 67-56-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Ethyl alcohol - 64-17-5	Carcinogen
	Developmental
Methyl alcohol - 67-56-1	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol 64-17-5	X	X	Х
Phenol 108-95-2	X	X	X
Methyl alcohol 67-56-1	X	X	X
Isopropyl alcohol 67-63-0	X	X	Х

16. OTHER INFORMATION

Prepared By EKI Regulatory Affairs (Email: reg@eki-chem.com)

Revision Date 09-Sep-2015

Disclaimer

E K Industries, Inc. makes no representation as to the comprehensiveness or accuracy of this document. Individuals using this information, or the product to which it refers, must exercise their independent judgment in determining all appropriateness for a particular purpose. Accordingly, E K Industries, Inc. will not be responsible for damages of any kind or nature resulting from the use of this information or the corresponding product. No representations or warranties of any kind or nature, including but not limited to: express warranties, implied warranties or merchantability, or warranties of fitness for a particular purpose, are made hereunder with respect to the information set forth herein or to the product to which the information refers.

End of Safety Data Sheet