

N METHYL PYRROLIDONE

Gen. Variant: SDS_US_GHS

Version 1.7

Revision Date 10/04/2017

Print Date 01/11/2021

SDS No.: BE1006

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Trade name : N METHYL PYRROLIDONE
CAS Number: : 872-50-4
Chemical characterization : Cyclic Amide
Chemical name : N-Methyl-2-pyrrolidinone
Synonyms : 2-Pyrrolidinone, 1-methyl-, NMP, 1-methyl pyrrolidin-2-one

Identified uses : Solvent

Prohibited uses : Cosmetics; Toiletries; Personal care products; Carrier solvent (or excipient) in veterinary medicines/drugs (unless approved by Lyondellbasell); Pharmaceutical excipient

Company Address

Lyondell Chemical Company
LyondellBasell Tower, Suite 300
1221 McKinney St.
P.O. Box 2583
Houston Texas 77252-2583

Company Telephone

Customer Service 888 777-0232
product.safety@lyb.com

Emergency telephone number

CHEMTREC USA 800-424-9300
LYONDELL 800-245-4532

Distributed by:



4621 Technology Drive, Golden, CO 80403
ph: (303) 762-0800 fax: (303) 762-1240

Part #: M1034

E-mail address : product.safety@lyb.com
Responsible/issuing person

2. HAZARDS IDENTIFICATION**GHS Classification**

Flammable Liquids	Category 4
Eye irritation	Category 2A
Specific target organ systemic toxicity - single exposure	Category 3
Reproductive toxicity	Category 1B

GHS Classification Scale (1= severe hazard; 4= slight hazard)

Label elements**Hazard symbols** :**Signal word** : Danger

N METHYL PYRROLIDONE

Version 1.7

Revision Date 10/04/2017

Print Date 01/11/2021

SDS No.: BE1006

Hazard Statements : H227 Combustible liquid.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H360 May damage fertility or the unborn child.

Precautionary Statements : **Prevention**
P201 + P202 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P370 + P378 In case of fire: Use dry chemical, carbon dioxide, water spray, or alcohol-resistant foam.
P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P235 Keep cool.
P405 Store locked up.

Disposal

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

No additional information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Substances**

N METHYL PYRROLIDONE

Version 1.7

Revision Date 10/04/2017

Print Date 01/11/2021

SDS No.: BE1006

Ingredients

Chemical name	CAS-No. EC-No.	Weight %	Component Type
N-Methyl Pyrrolidone	872-50-4	>= 99.0 %	A

Key:

(A) Substance

4. FIRST AID MEASURES

- General advice : Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
Do not leave the victim unattended.
Show this material safety data sheet to the doctor in attendance.
Wear appropriate personal protective equipment, avoid direct contact.
Move out of dangerous area.
Remove contaminated shoes and clothing.
Get medical attention immediately.
- If inhaled : Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Do not leave the victim unattended.
Immediately seek medical attention.
Keep patient warm and at rest.
If breathing is difficult, give oxygen.
If unconscious, place in recovery position and seek medical advice.
In the event of unconsciousness, apnea or cardiac arrest (no pulse), apply cardiopulmonary resuscitation.
- In case of skin contact : Appears to be readily absorbed through the skin but no systemic toxicity is expected from acute dermal exposure.
Take off contaminated clothing and shoes immediately.
In case of contact, immediately flush skin with soap and plenty of water.
Seek medical attention if ill effect or irritation develops.
Wash contaminated clothing before reuse.
- In case of eye contact : In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Get medical attention immediately if irritation persists.

N METHYL PYRROLIDONE

Version 1.7

Revision Date 10/04/2017

Print Date 01/11/2021

SDS No.: BE1006

If swallowed : If victim is drowsy or unconscious, place on the left side with head down.
If victim is conscious and able to swallow, have victim drink water to dilute. Never give anything by mouth if victim is unconscious or having convulsions. This product poses a possible lung aspiration hazard if it is ingested. Induce vomiting only if advised by physician or Poison Control Center. **CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY!**
If vomiting does occur, have victim lean forward to reduce risk of aspiration.

Notes to physician

Symptoms : Vapors may cause irritation of the eyes, nose and throat as well as CNS depression (fatigue, dizziness, loss of concentration, with collapse, coma and death possible in cases of severe overexposure). High vapor concentrations may be irritating to the upper respiratory tract.
May cause irritation to the skin. This irritation can result in redness and swelling of the skin. Repeated contact with the skin may cause it to become dry and cracked.
May cause irritation to the eyes. This irritation can result in redness and swelling of the eyes.

Hazards : May be harmful if swallowed.
May be harmful if swallowed and enters airways.
Causes skin irritation.
Causes serious eye irritation.
May cause respiratory irritation.
May cause drowsiness or dizziness.
May damage fertility or the unborn child.

Treatment : Treat symptomatically.
Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.
There is no specific antidote.
Potential danger from aspiration must be weighed against possible oral toxicity when deciding to induce vomiting.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : SMALL FIRE: Use dry chemicals, CO2, water spray or alcohol-

N METHYL PYRROLIDONE

Gen. Variant: SDS_US_GHS

Version 1.7

Revision Date 10/04/2017

Print Date 01/11/2021

SDS No.: BE1006

- resistant foam. LARGE FIRE: Use water spray, water fog or alcohol-resistant foam.
- Unsuitable extinguishing media : Do not use solid water stream.
- Specific hazards during fire fighting : When heated above the flash point, releases flammable vapors.
When mixed with air and exposed to ignition source, vapors can burn in open or explode if confined.
Vapors may be heavier than air.
May travel long distances along the ground before igniting and flashing back to vapor source.
Fine sprays/mists may be combustible at temperatures below normal flash point.
Move containers from fire area if it can be done without risk.
Fight fire from maximum distance or use unmanned hose holders or monitor nozzles.
Heat may build enough pressure to rupture closed containers/spreading fire/increasing risk of burns/injuries.
Cool containers with flooding quantities of water until well after fire is out.
Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.
Always stay away from tanks engulfed in fire.
For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.
Do not allow run-off from fire fighting to enter drains or water courses.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Wear positive pressure self-contained breathing apparatus (SCBA).
Structural firefighter's protective clothing will only provide limited protection.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : Clean-up to be performed only by trained and properly equipped personnel.
Wear recommended personal protective equipment.
Ensure adequate ventilation.
Evacuate personnel to safe areas.
- Environmental precautions : Prevent entry into waterways, sewers, basements or confined areas.
If the product contaminates rivers and lakes or drains inform respective authorities.

N METHYL PYRROLIDONE

Version 1.7

Revision Date 10/04/2017

Print Date 01/11/2021

SDS No.: BE1006

If necessary, all contaminated waste water must be treated in a municipal or industrial wastewater treatment plant before release to surface water.

Chemical removal by air and water pollution control devices must meet the minimum efficiency requirements needed to reduce exposures to an acceptable level.

The discharge of treatment plant effluent to rivers and oceans must achieve the dilution ratio needed to reduce exposures to an acceptable level.

The size and capacity of wastewater treatment plants must meet the minimum requirements needed to reduce exposures to an acceptable level.

Waste management practices such as incineration, recycling, reuse must be enforced as needed to reduce exposures to an acceptable level.

External treatment and disposal of waste should comply with applicable local and/or national regulations.

The maximum allowable site tonnage and the days of use should be below the number needed to maintain exposures at an acceptable level.

Methods for containment /
Methods for cleaning up

: Combustible liquid.
Eliminate all sources of ignition.
All equipment used when handling this product must be grounded.
Do not touch or walk through spilled material.
Stop leak if you can do it without risk.
A vapor suppressing foam may be used to reduce vapors.
Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
Use clean non-sparking tools to collect absorbed material.
Dike large spills and place materials in salvage containers.
Water spray may reduce vapor; but may not prevent ignition in closed spaces.
Treat all waste as hazardous and dispose using licenced waste removal company.

7. Handling and storage**Precautions for safe handling**

Advice on safe handling : Use only in area provided with appropriate exhaust ventilation.
Handle empty containers with care - residue may be combustible and burn if exposed to heat/sparks/open flame.
In addition to the fire/explosion hazard, residual vapor and liquid may also be toxic.
Keep container tightly closed when not in use.

N METHYL PYRROLIDONE

Gen. Variant: SDS_US_GHS

Version 1.7

Revision Date 10/04/2017

Print Date 01/11/2021

SDS No.: BE1006

Keep away from heat and sources of ignition.
Isolate, vent, drain, wash and purge systems or equipment before maintenance or repair.
Wear recommended personal protective equipment.
Avoid contact with incompatible agents.
Observe precautions pertaining to confined space entry.

Advice on protection against fire and explosion : Keep away from heat and sources of ignition.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Mild or stainless steel.
Store away from heat, sparks, open flames, strong oxidizing agents and direct sunlight.
Keep container tightly closed and properly labeled.

Specific end use(s)

: See Section 1.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Control parameters****Ingredients with workplace control parameters**

Consult local authorities for acceptable exposure limits.

Biological Exposure Indices

Ingredients	CAS-No.	Control parameters	Biological specimen	Sampling time	Concentration	Basis
N-Methyl Pyrrolidone	872-50-4	5-Hydroxy-N-methyl-2-pyrrolidone	urine	end of shift	100 mg/l	ACGIH_BEL S

Exposure controls**Engineering measures**

At elevated temperatures, special ventilation may be required even if the flash point has not been exceeded.

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.

Personal protective equipment

Respiratory protection : No occupational exposure limits have been developed for this material.

N METHYL PYRROLIDONE

Version 1.7

Revision Date 10/04/2017

Print Date 01/11/2021

SDS No.: BE1006

- : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
- Hand protection : Use chemical resistant gloves appropriate to conditions of use.
Wear chemical resistant gloves such as:
Butyl rubber.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye and face protection : Eye protection, including both chemical splash goggles and face shield, must be worn when possibility exists for eye contact due to splashing/spraying liquid, airborne particles, or vapor.
- Skin and body protection : When skin contact is possible, protective clothing including gloves, apron, sleeves, boots, head and face protection should be worn.
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Use PPE that is chemical resistant to the product and prevents skin contact.
- Hygiene measures : Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use.
Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Use good personal hygiene practices.
Wash hands before eating, drinking, smoking, or using toilet facilities.
Take off contaminated clothing and wash before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Color : Clear, colorless.
- Odor : Amine-like odor.
- Odor Threshold : no data available
- Flash point : 91 °C
at 1,013 hPa (760 mm Hg)
Method: closed cup

N METHYL PYRROLIDONE

Version 1.7

Revision Date 10/04/2017

Print Date 01/11/2021

SDS No.: BE1006

Ignition temperature	: 270 °C
Lower explosion limit	: ~ 1.3 vol%
Upper explosion limit	: ~ 9.5 vol%
Flammability (solid, gas)	: Not applicable
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Autoignition temperature	: 245 °C at 1,013 hPa
Decomposition temperature	: not determined
Melting point/range	: -24.2 °C at 1,013 hPa
Boiling point/boiling range	: 204 °C at 1,013 hPa
Vapor pressure	: 0.32 hPa at 20 °C
Density	: 1.03 g/cm ³ at 25 °C
Water solubility	: 1,000 g/l 20 °C completely miscible
Partition coefficient: n-octanol/water	: log Pow: -0.46 at 25 °C
Viscosity, dynamic	: 1.661 mPa.s at 25 °C
Relative vapor density	: ~ 3.4 at 15.5 - 32.2 °C (Air = 1.0)
Explosive properties	: Not applicable
Other Information	: hygroscopic

10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under recommended storage conditions.

N METHYL PYRROLIDONE

Version 1.7

Revision Date 10/04/2017

Print Date 01/11/2021

SDS No.: BE1006

Hazardous reactions	: Not expected to occur. Stable.
Conditions to avoid	: In contact with moisture, this hygroscopic (i.e., absorbs water from the air) material may degrade or become contaminated. Heat, sparks, open flame, other ignition sources, and oxidizing conditions.
Materials to avoid	: Strong oxidizing agents. Strong reducing agent. Moisture and humidity.
Hazardous decomposition products	: Carbon monoxide and nitrogen oxide fumes emitted when heated to decomposition.
Thermal decomposition	: Incomplete combustion may produce carbon monoxide, oxides or compounds of nitrogen and other toxic gases.

11. TOXICOLOGICAL INFORMATION

Product Summary : The below given information is based on the assessment of the product including impurities.

Acute toxicity

Acute oral toxicity : Not classified
May be harmful if swallowed.
Ingestion may cause discomfort and irritation of the gastrointestinal tract.

: LD50 Oral: 4,150 mg/kg
Species: Rat

Acute inhalation toxicity : Based on acute toxicity values, not classified.

: LC50 (aerosol): > 5.1 mg/l
Exposure time: 4 HOURS
Species: Rat

Acute dermal toxicity : Based on acute toxicity values, not classified.

: LD50: > 5,000 mg/kg
Species: Rat

Skin corrosion/irritation : Not classified
May cause mild skin irritation

N METHYL PYRROLIDONE

Gen. Variant: SDS_US_GHS

Version 1.7

Revision Date 10/04/2017

Print Date 01/11/2021

SDS No.: BE1006

Serious eye damage/eye irritation	: Classified Causes serious eye irritation.
Respiratory or skin sensitization	: Skin sensitization Based on skin sensitization values, not classified. : Respiratory sensitization Not classified no data available
Chronic toxicity	
Carcinogenicity	: Not classified This product has had a positive finding in a carcinogenic investigation. The findings do not appear to be relevant to classification due to the non genotoxic mechanism and the species sensitivity to the liver tumors observed.
Germ cell mutagenicity	: Not classified No adverse effect observed.
Reproductive toxicity	
Effects on fertility / Effects on or via lactation	: Not classified No adverse effect observed.
Effects on Development	: Classified May damage the unborn child.
Target Organ Systemic Toxicant - Single exposure	: Classified, May cause respiratory irritation., May cause drowsiness or dizziness. : Exposure routes: Inhalation Target Organs: Respiratory system, Central nervous system
Target Organ Systemic Toxicant - Repeated exposure	: Based on repeated exposure toxicity values, not classified.
Aspiration hazard	: Not classified May be harmful if swallowed and enters airways.

N METHYL PYRROLIDONE

Gen. Variant: SDS_US_GHS

Version 1.7

Revision Date 10/04/2017

Print Date 01/11/2021

SDS No.: BE1006

12. ECOLOGICAL INFORMATION**Ecotoxicology Assessment**

Acute aquatic toxicity : Based on acute aquatic toxicity values, not classified.

Chronic aquatic toxicity : Not classified, based on readily biodegradability and low acute toxicity.

Toxicity to fish :
Acute toxicity to fish is very low.

Toxicity to daphnia and other aquatic invertebrates : Low acute toxicity to aquatic invertebrates.

Toxicity to algae : Low toxicity to algae.

Toxicity to bacteria : Low toxicity to sewage microbes.

Toxicity to fish (Chronic toxicity) : no data available
study scientifically unjustified

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Low chronic toxicity to aquatic invertebrates.

Persistence and degradabilityBiodegradability : Readily biodegradable
: BOD (Modified MITI Method) = 73% (28 days).**Bioaccumulative potential**

Bioaccumulation : Not expected to bioaccumulate in aquatic organisms.

Mobility in soilDistribution among environmental compartments : Stability in soil
no data available
Low potential for soil adsorption expected: Stability in water
Hydrolysis expected to be very slow.
Half-life >1 year
(QSAR calculated value)

N METHYL PYRROLIDONE

Version 1.7

Revision Date 10/04/2017

Print Date 01/11/2021

SDS No.: BE1006

Additional advice : No additional information available.
Environmental fate and pathways

Results of PBT and vPvB assessment

Not applicable.

Other adverse effects

Additional ecological information : No additional information available.

13. Disposal considerations**Waste treatment methods**

Product : Dispose of as hazardous waste in compliance with local and national regulations.
The product should not be allowed to enter drains, water courses or the soil.
Incinerate concentrated liquids in compliance with local, state or international regulations.
Contaminated product, soil, water, container residues and spill cleanup materials may be hazardous wastes.
Comply with applicable local, state or international regulations concerning solid or hazardous waste disposal and/or container disposal.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

14. TRANSPORT INFORMATION**CFR_ROAD**

UN number : NA1993
Description of the goods : COMBUSTIBLE LIQUID, N.O.S.
(N-METHYL PYRROLIDONE)
Class : CL
Packing group : III
Labels : 3

CFR_RAIL

UN number : NA1993

N METHYL PYRROLIDONE

Gen. Variant: SDS_US_GHS

Version 1.7

Revision Date 10/04/2017

Print Date 01/11/2021

SDS No.: BE1006

Description of the goods : COMBUSTIBLE LIQUID, N.O.S.
: (N-METHYL PYRROLIDONE)
Class : CL
Packing group : III
Labels : 3

BLG (MARPOL Annex II)

Description of the goods : N-METHYL-2-PYRROLIDONE
Pollution category : Y
Ship type : 3

15. REGULATORY INFORMATION

If identified components of this product are listed under the TSCA 12(b) Export Notification rule, they will be listed below.

TSCA 12b

N-Methyl-2-pyrrolidinone / CAS# 872-50-4. TSCA section 6

SARA 302/304

This product contains no known chemicals regulated under SARA 302/304.

SARA 311/312

Based upon available information, this material is classified as the following health and/or physical hazards according to Section 311 & 312:

Physical Hazards

Flammable liquids

Health Hazards

Eye irritation
Specific target organ systemic toxicity - single exposure
Reproductive toxicity

SARA 313

This product contains the following chemicals subject to the reporting requirements of SARA Title III, Section 313 and 40 CFR 372:

<u>Component</u>	<u>Reporting Threshold</u>
N-Methyl Pyrrolidone	1.0%

State Reporting

N METHYL PYRROLIDONE

Gen. Variant: SDS_US_GHS

Version 1.7

Revision Date 10/04/2017

Print Date 01/11/2021

SDS No.: BE1006

This material may contain trace levels of the following chemical substance(s) regulated under California Proposition 65. However, LyondellBasell has not tested for the presence of listed chemical substances. It is the responsibility of the California business owner to develop his or her own regulatory compliance plan. Contact Product Safety for further information at product.safety@lyb.com.

Substance	CASRN	Type of Toxicity			
		Carcinogen	Developmental	Repro-Male	Repro-Female
N-Methyl Pyrrolidone	872-50-4		X		

This product contains no known chemicals regulated by New Jersey's Worker and Community Right to Know Act.

No components are subject to the Massachusetts Right to Know Act.

This product contains no known chemicals regulated by Pennsylvania's Right to Know Act.

Other international regulations**Global Inventory Status**

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Compliant
Canada	DSL	Compliant
China	IECSC	Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Compliant
Korea	KECI	Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Compliant

REACH status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that the chemical substance in this product has been pre-registered or, where required under REACH, registered, and that we have the intention to proceed with any required registration in accordance with the deadlines set forth in REACH. (Regulation (EU) No. 1907/2006)

Contact product.safety@lyb.com for additional global inventory information.

N METHYL PYRROLIDONE

Gen. Variant: SDS_US_GHS

Version 1.7

Revision Date 10/04/2017


Print Date 01/11/2021

SDS No.: BE1006


16. OTHER INFORMATION**Material safety datasheet sections which have been updated:**

Revised Section(s): 2 4 7 11 13 14 15 16 September 18 2017

HMIS Classification : Health Hazard: 2
Chronic Health Hazard: *
Flammability: 2
Physical hazards: 0



NFPA Classification : Health Hazard: 2
Fire Hazard: 2
Instability: 0

**Disclaimer**

This document is generated for the purpose of distributing health, safety, and environmental data.

Information is correct to the best of our knowledge at the date of the SDS publication.

It is not a specification sheet nor should any displayed data be construed as a specification.

Before using a product sold by a company of the LyondellBasell family of companies, users should make their own independent determination that the product is suitable for the intended use and can be used safely and legally.

SELLER MAKES NO WARRANTY; EXPRESS OR IMPLIED (INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY WARRANTY) OTHER THAN AS SEPARATELY AGREED TO BY THE PARTIES IN A CONTRACT.

Users should review the applicable Safety Data Sheet before handling the product.

This product(s) may not be used in the manufacture of any of the following, without prior written approval by Seller for each specific product and application:

(i) U.S. FDA Class I or II Medical Devices; Health Canada Class I, II or III Medical Devices;

European Union Class I or II Medical Devices;

(ii) film, overwrap and/or product packaging that is considered a part or component of one of the aforementioned medical devices;

(iii) packaging in direct contact with a pharmaceutical active ingredient and/or dosage form that is intended for inhalation, injection, intravenous, nasal, ophthalmic (eye), digestive, or topical (skin) administration;

(iv) tobacco related products and applications, electronic cigarettes and similar devices.

(v) safety components in automotive applications, for example: air bags, air bag unit housings and covers, seat belt mechanisms, brake systems, pedals and pedal supports, steering systems.

Disclaimer

The product(s) may not be used in:

- (i) U.S. FDA Class III Medical Devices; Health Canada Class IV Medical Devices; European Class III Medical Devices;
- (ii) applications involving permanent implantation into the body;
- (iii) life-sustaining medical applications.

All references to U.S. FDA, Health Canada, and European Union regulations include another country's equivalent regulatory classification.

In addition to the above, LyondellBasell may further prohibit or restrict the use of its products in certain applications. For further information, please contact a LyondellBasell representative.

Alkylate, Duopac, Duoprime, Filmex, MPDIOL, Polymeg, SAA-100, SAA-101, TBAC, Tebol, T-Hydro, and Tufflo are trademarks owned or used by the LyondellBasell family of companies. Duopac, Duoprime, Filmex, MPDIOL, Polymeg, Tebol, T-Hydro and Tufflo are registered in the U.S. Patent and Trademark Office.

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1 234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet